Dynamics of Trophy Brown Trout and Stunted Yellow Perch in an Arizona Mountain Reservoir

Chuck Mordhorst

Arizona Game and Fish Dept – Region I – Streams Specialist

Kaden Ball

South Dakota State University



Location of Study



- Greer, White Mountains
- 50 acre reservoir
- 8,200 ft
- 1896, West Fork Little Colorado River
- Brown Trout, Apache Trout, Yellow Perch, Rainbow Trout



- Trophy Brown Trout fishery
 - 22 inches or 558 mm
- Highly Utilized fishery
- Anglers expressed a desire for a higherdensity of Brown Trout





- Low density large Brown Trout
 Beaver dam complex limits spawning
- High density small Yellow Perch
 - Density dependent growth







Can we increase the number of Brown Trout?





Can we increase the number of Brown Trout?



Without negatively impacting the size of Brown Trout?

Project Goal

• Determine if the Yellow Perch population is stunted and to what extent

Implications for Management

• Would increasing the number of Brown Trout result in increased predation on Yellow Perch, lowering their density, and releasing them from density dependent growth (stunting)?

Methods



- Night boat electrofishing
- Length and weight
- •77 Yellow Perch
 - 10 mm length bins
- Whole otolith aging

Results





• Yellow Perch Density 284/hr

• Brown Trout Population estimate 330

Length Frequency

Yellow Perch



Age Frequency

Yellow Perch



Length at Age Comparisons

Yellow Perch Average Length at Age



Length at Age Comparisons



The Plan

- Translocate Brown Trout
 - Upstream from Little Colorado River
- PIT tag Brown Trout
 - Growth rates
 - Upstream movement
- Monitor Yellow Perch size
 - 30% of Brown Trout Body size



Citations

Heidinger, C. R., and T. B. Kayes. 1993. Yellow Perch. Culture of Nonsalmonid Freshwater Fishes, Second Edition, pp. 216-226.

Illinois DNR. (2020). https://dnr.illinois.gov/content/dam/soi/en/web/dnr/education/cdindex/yellowperch.pdf [Accessed 1/9/2025]

Jansen. A. W. 1996. Plasticity in maturity and fecundity of yellow perch, *Perca flavescens* (Mitchill): comparisons of stunted and normal growing populations. Annales of Zoologici Fennici 33:403-415.

L'Abée-Lund, J. H., A. Langeland, H. Sægrov. 1992. Piscivory by brown trout Salmo trutta L. and Artic charr Salvelinus alpinus (L.) in Norwegian lakes. Journal of Fish Biology 41:91-101.

Munro, L. C., and J. L. MacMillan. 2010. Overpopulation and growth of yellow perch (*Perca flavescens*) and the potential effect of increased competition on brook trout (*Salvelinus fontinalis*) in Long Lake, Halifax County, Nova Scotia. Inland Division, Nova Scotia Department of Fisheries and Aquaculture. Pictou, Nova Scotia.

Tonn, M. W., C. A. Paszkowski., and I. J. Holopainen. 1992. Piscivory and Recruitment: Mechanisms Structuring Prey Populations In Small Lakes. Ecological Society of America 73(3):951-958.

Wisconsin DNR. (2008). https://dnr.wisconsin.gov/sites/default/files/topic/Fishing/Species_yellowperch.pdf [Accessed 1/9/2025]